

Bibliographie

Kapitel 1: Ernährungs-Revolution

1. Popkin BM, et al. The obesity epidemic is a worldwide phenomenon. *Nutr Rev* 1998;56:106-14.
2. Swinburn B, et al. Preventive strategies against weight gain and obesity. *Obes Rev* 2002;3:289-301.
3. Ebbeling C, Childhood obesity: public-health crisis, common sense cure. *Lancet* 2002;360:473.
4. Cordain L, et al. Hyperinsulinemic diseases of civilization: more than just Syndrome X. *Comp Biochem Physiol A Mol Integr Physiol* 2003;136:95-112.
5. Ellrott T, Pudel V. *Adipositas*therapie. Stuttgart: Georg Thieme Verlag, 1997.
6. Pudel V. *Pfundskur 96 - Lust auf Leben*. Stuttgart: Süddeutscher Rundfunk, 1996.
7. Astrup A. The role of dietary fat in the prevention and treatment of obesity. Efficacy and safety of low-fat diets. *Int J Obes Relat Metab Disord* 2001;25:S46-50.
8. Willett W, et al. Glycemic index, glycemic load, and risk of type 2 diabetes. *Am J Clin Nutr* 2002;76:274S-80S.
9. Liu S, et al. Dietary glycemic load and atherothrombotic risk. *Curr Atheroscler Rep* 2002;4:454-61.
10. Ludwig DS. The glycemic index: physiological mechanisms relating to obesity, diabetes, and cardiovascular disease. *JAMA* 2002;287:2414-23.
11. Ludwig DS. Dietary glycemic index and obesity. *J Nutr* 2000;130:280S-283S.
12. Ludwig DS. Glycemic load comes of age. *J Nutr* 2003;133:2695-6.
13. Ebbeling CB, et al. A reduced-glycemic load diet in the treatment of adolescent obesity. *Arch Pediatr Adolesc Med* 2003;157:773-9.
14. Reaven GM. Diet and Syndrome X. *Curr Atheroscler Rep* 2000;2:503-507.

Kapitel 2: Zurück zu den Wurzeln

1. Worm N. *Syndrom X oder Ein Mammut auf den Teller! Mit Steinzeitdiät aus der Wohlstandsfalle*. Lünen: Systemed-Verlag, 2002.
2. Worm N. *Täglich Fleisch. Auch der Mensch braucht artgerechte Ernährung*. München: Hallwag Verlag, 2001.

3. Eaton SB, et al. Evolutionary health promotion: a consideration of common counterarguments. *Prev Med* 2002;34:119-23.
4. Mann N. Dietary lean red meat and human evolution. *Eur J Nutr* 2000;39:71-9.
5. Cordain L, et al. Plant-animal subsistence ratios and macronutrient energy estimations in worldwide hunter-gatherer diets. *Am J Clin Nutr* 2000;71:682-692.
6. Richards MP. A brief review of the archaeological evidence for Palaeolithic and Neolithic subsistence. *Eur J Clin Nutr* 2002;56:16 p following 1262.
7. Cordain L. Cereal grains: humanity's double-edged sword. *World Rev Nutr Diet* 1999;84:19-73.
8. Cordain L, et al. The paradoxical nature of hunter-gatherer diets: meat-based, yet non-atherogenic. *Eur J Clin Nutr* 2002;56:S42-52.
9. Cordain L. The Nutritional Characteristics of a Contemporary Diet Based Upon Paleolithic Food Groups. *JANA* 2002;5:1-10.
10. Sebastian A, et al. Estimation of the net acid load of the diet of ancestral preagricultural *Homo sapiens* and their hominid ancestors. *Am J Clin Nutr* 2002;76:1308-16.
11. New SA. The role of the skeleton in acid-base homeostasis. *Proc Nutr Soc* 2002;61:151-64.
12. Booth FW, et al. Exercise and gene expression: physiological regulation of the human genome through physical activity. *J Physiol* 2002;543:399-411.

Kapitel 3: Das Amerikanische Paradoxon

1. Heini AF, et al. Divergent trends in obesity and fat intake patterns: the American paradox. *Am J Med* 1997;102:259-64.
2. Ludwig DS. Dietary glycemic index and obesity. *J Nutr* 2000;130:280S-283S.
3. Ludwig DS. Dietary glycemic index and the regulation of body weight. *Lipids* 2003;38:117-21.
4. Ludwig DS. Glycemic load comes of age. *J Nutr* 2003;133:2695-6.
5. Kopp W. High-insulinogenic nutrition--an etiologic factor for obesity and the metabolic syndrome? *Metabolism* 2003;52:840-4.
6. Salmeron J, et al. Dietary fiber, glycemic load, and risk of NIDDM in men. *Diabetes Care* 1997;20:545-50.

7. Salmeron J, et al. Dietary fiber, glycemic load, and risk of non-insulin-dependent diabetes mellitus in women. *JAMA* 1997;277:472-7.
8. Willett W, et al. Glycemic index, glycemic load, and risk of type 2 diabetes. *Am J Clin Nutr* 2002;76:274S-80S.
9. Liu S, et al. A prospective study of dietary glycemic load, carbohydrate intake, and risk of coronary heart disease in US women. *Am J Clin Nutr* 2000;71:1455-1461.
10. Liu S, et al. Dietary glycemic load and atherothrombotic risk. *Curr Atheroscler Rep* 2002;4:454-61.
11. Ludwig DS. The glycemic index: physiological mechanisms relating to obesity, diabetes, and cardiovascular disease. *JAMA* 2002;287:2414-23.
12. Augustin LS, et al. Dietary glycemic index and glycemic load, and breast cancer risk: a case-control study. *Ann Oncol* 2001;12:1533-8.
13. Franceschi S, et al. Dietary glycemic load and colorectal cancer risk. *Ann Oncol* 2001;12:173-8.
14. Michaud DS, et al. Dietary sugar, glycemic load, and pancreatic cancer risk in a prospective study. *J Natl Cancer Inst* 2002;94:1293-300.
15. Cordain L, et al. Hyperinsulinemic diseases of civilization: more than just Syndrome X. *Comp Biochem Physiol A Mol Integr Physiol* 2003;136:95-112.
16. Coutinho M, et al. The relationship between glucose and incident cardiovascular events. A metaregression analysis of published data from 20 studies of 95,783 individuals followed for 12.4 years. *Diabetes Care* 1999;22:233-40.
17. Reaven GM. Diet and Syndrome X. *Curr Atheroscler Rep* 2000;2:503-507.

Kapitel 4: Der GLYX ist nur die halbe Wahrheit

1. Sharman MJ, et al. A ketogenic diet favorably affects serum biomarkers for cardiovascular disease in normal-weight men. *J Nutr* 2002;132:1879-85.
2. Samaha FF, et al. A low-carbohydrate as compared with a low-fat diet in severe obesity. *N Engl J Med* 2003;348:2074-81.
3. Volek JS, et al. Body composition and hormonal responses to a carbohydrate-restricted diet. *Metabolism* 2002;51:864-70.
4. Brehm BJ, et al. A randomized trial comparing a very low carbohydrate diet and a calorie-restricted low fat diet on body weight and cardiovascular risk factors in healthy women. *J Clin Endocrinol Metab* 2003;88:1617-23.

5. Volek JS, et al. An Isoenergetic Very Low Carbohydrate Diet Improves Serum HDL Cholesterol and Triacylglycerol Concentrations, the Total Cholesterol to HDL Cholesterol Ratio and Postprandial Lipemic Responses Compared with a Low Fat Diet in Normal Weight, Normolipidemic Women. *J Nutr* 2003;133:2756-61.
6. Layman DK. The Role of Leucine in Weight Loss Diets and Glucose Homeostasis. *J Nutr* 2003;133:261S-267S.
7. Layman DK, et al. A Reduced Ratio of Dietary Carbohydrate to Protein Improves Body Composition and Blood Lipid Profiles during Weight Loss in Adult Women. *J Nutr* 2003;133:411-7.
8. Layman DK, et al. Increased Dietary Protein Modifies Glucose and Insulin Homeostasis in Adult Women during Weight Loss. *J Nutr* 2003;133:405-10.
9. Westman EC, et al. A Review of Low-carbohydrate Ketogenic Diets. *Curr Atheroscler Rep* 2003;5:476-83.
10. Brand-Miller JC, et al. Diets with a low glycemic index: from theory to practice. *Nutrition Today* 1999;34:64-72.
11. Brand-Miller JC, et al. Physiological validation of the concept of glycemic load in lean young adults. *J Nutr* 2003;133:2728-32.
12. Ludwig DS. Glycemic load comes of age. *J Nutr* 2003;133:2695-6.
13. Cordain L. Cereal grains: humanity's double-edged sword. *World Rev Nutr Diet* 1999;84:19-73.
14. Foster-Powell K, et al. International table of glycemic index and glycemic load values: 2002. *Am J Clin Nutr* 2002;76:5-56.
15. Bazzano LA, et al. Dietary intake of fruits and vegetables and risk of cardiovascular disease. *Curr Atheroscler Rep* 2003;5:492-9.
16. Liu RH. Health benefits of fruit and vegetables are from additive and synergistic combinations of phytochemicals. *Am J Clin Nutr* 2003;78:517S-520S.
17. Brown L, et al. Cholesterol-lowering effects of dietary fiber: a meta-analysis. *Am J Clin Nutr* 1999;69:30-42.
18. Jenkins DJ, et al. Dietary fibre, lente carbohydrates and the insulin-resistant diseases. *Br J Nutr* 2000;83:S157-63.
19. Bruce B, et al. A diet high in whole and unrefined foods favorably alters lipids, antioxidant defenses, and colon function. *J Am Coll Nutr* 2000;19:61-7.
20. Jenkins DJ, et al. Effect of a very-high-fiber vegetable, fruit, and nut diet on serum lipids and colonic function. *Metabolism* 2001;50:494-503.

21. Jenkins DJ, et al. Effect of psyllium in hypercholesterolemia at two monounsaturated fatty acid intakes. *Am J Clin Nutr* 1997;65:1524-33.
22. Elliott SS, et al. Fructose, weight gain, and the insulin resistance syndrome. *Am J Clin Nutr* 2002;76:911-22.
23. Zammit VA, et al. Insulin stimulation of hepatic triacylglycerol secretion and the etiology of insulin resistance. *J Nutr* 2001;131:2074-7.

Kapitel 5: Fitmacher: Eiweiß und Fett

1. Wolfe BM, et al. Short-term effects of substituting protein for carbohydrate in the diets of moderately hypercholesterolemic human subjects. *Metabolism* 1991;40:338-43.
2. Wolfe BM, et al. High protein diet complements resin therapy of familial hypercholesterolemia. *Clin Invest Med* 1992;15:349-59.
3. Wolfe BM. Potential role of raising dietary protein intake for reducing risk of atherosclerosis. *Can J Cardiol* 1995;11 Suppl G:127G-131G.
4. Wolfe BM, et al. Replacement of carbohydrate by protein in a conventional-fat diet reduces cholesterol and triglyceride concentrations in healthy normolipidemic subjects. *Clin Invest Med* 1999;22:140-8.
5. Weggemans RM, et al. Dietary cholesterol from eggs increases the ratio of total cholesterol to high-density lipoprotein cholesterol in humans: a meta-analysis. *Am J Clin Nutr* 2001;73:885-91.
6. McNamara DJ. Dietary cholesterol and atherosclerosis. *Biochim Biophys Acta*. 2000 Dec 15;1529(1-3):310-20.
7. Hu FB, et al. Dietary protein and risk of ischemic heart disease in women. *Am J Clin Nutr* 1999;70:221-7.
8. DGE. Ernährungsbericht 2000. Frankfurt: Deutsche Gesellschaft für Ernährung e. V., 2000.
9. DGE. Ernährungsbericht 1992. Frankfurt: Deutsche Gesellschaft für Ernährung e.V., 1992.
10. Layman DK, et al. A Reduced Ratio of Dietary Carbohydrate to Protein Improves Body Composition and Blood Lipid Profiles during Weight Loss in Adult Women. *J Nutr* 2003;133:411-7.
11. Westman EC, et al. Review of Low-carbohydrate Ketogenic Diets. *Curr Atheroscler Rep* 2003;5:476-83.
12. New SA, et al. Calcium, protein, and fruit and vegetables as dietary determinants of bone health. *Am J Clin Nutr* 2003;77:1340-1.

13. Roughead ZK. Is the Interaction between Dietary Protein and Calcium Destructive or Constructive for Bone?: Summary. *J Nutr* 2003;133:866S-869S.
14. Cordain L. The Nutritional Characteristics of a Contemporary Diet Based Upon Paleolithic Food Groups. *JANA* 2002;5:1-10.
15. Sebastian A, et al. DE, Merriam RL, Morris RC, Jr. Estimation of the net acid load of the diet of ancestral preagricultural Homo sapiens and their hominid ancestors. *Am J Clin Nutr* 2002;76:1308-16.
16. Wingen AM, et al. Randomised multicentre study of a low-protein diet on the progression of chronic renal failure in children. European Study Group of Nutritional Treatment of Chronic Renal Failure in Childhood. *Lancet* 1997;349:1117-23.
17. Kasiske BL, et al. The effects of dietary protein restriction on chronic progressive renal disease. *Miner Electrolyte Metab* 1997;23:296-300.
18. Wheeler ML, et al. Animal Versus Plant Protein Meals in Individuals With Type 2 Diabetes and Microalbuminuria: Effects on renal, glycemic, and lipid parameters. *Diabetes Care* 2002;25:1277-82.
19. Cordain L, et al. Plant-animal subsistence ratios and macronutrient energy estimations in worldwide hunter-gatherer diets. *Am J Clin Nutr* 2000;71:682-692.
20. Biesalski HK, et al. *Taschenatlas der Ernährung*. Stuttgart: Georg Thieme Verlag, 1999.
21. Lyu LC, et al. A case-control study of the association of diet and obesity with gout in Taiwan. *Am J Clin Nutr* 2003;78:690-701.
22. Fam AG. Gout, diet, and the insulin resistance syndrome. *J Rheumatol* 2002;29:1350-5.
23. Mensink RP, et al. Effects of dietary fatty acids and carbohydrates on the ratio of serum total to HDL cholesterol and on serum lipids and apolipoproteins: a meta-analysis of 60 controlled trials. *Am J Clin Nutr* 2003;77:1146-55.
24. Garg A. High-monounsaturated-fat diets for patients with diabetes mellitus: a meta-analysis. *Am J Clin Nutr* 1998;67:577S-582S.
25. Angerer P, et al. n-3 Polyunsaturated fatty acids and the cardiovascular system. *Curr Opin Clin Nutr Metab Care* 2000;3:439-445.
26. Holub BJ. Clinical nutrition: 4. Omega-3 fatty acids in cardiovascular care. *CMAJ* 2002;166:608-15.
27. Haddad EH, et al. What do vegetarians in the United States eat? *Am J Clin Nutr* 2003;78:626S-632S.
28. Grundy SM, et al. Dietary influences on serum lipids and lipoproteins. *J Lipid Res* 1990;31:1149-72.

29. Sammon AM. Dietary linoleic acid, immune inhibition and disease. *Postgrad Med J* 1999;75:129-32.
30. Simopoulos AP, et al. Essentiality of and recommended dietary intakes for omega-6 and omega-3 fatty acids. *Ann Nutr Metab* 1999;43:127-30.
31. Simopoulos AP. Essential fatty acids in health and chronic disease. *Am J Clin Nutr* 1999;70:560S-569S.
32. Horrocks LA, et al. Health Benefits of Docosahexaenoic Acid (DHA). *Pharmacol Res* 1999;40:211-225.
33. Koletzko B, et al. Polyunsaturated fatty acids in human milk and their role in early infant development. *J Mammary Gland Biol Neoplasia* 1999;4:269-84.
34. Simopoulos AP. Evolutionary aspects of diet and essential fatty acids. *World Rev Nutr Diet* 2001;88:18-27.
35. BMVEL. Mehr n-3 Fettsäuren bei Weidehaltung. 2002.
36. Cordain L. et al. Fatty acid analysis of wild ruminant tissues: evolutionary implications for reducing diet-related chronic disease. *Eur J Clin Nutr.* 2002 ;56:181-91.
37. Jahreis G. Funktionelle Inhaltsstoffe aus tierischen Lebensmitteln. *Akt Ernährungs-Med* 1999;Suppl 1999:1-8.
38. Mann N. Dietary lean red meat and human evolution. *Eur J Nutr* 2000;39:71-9.
39. Bioletto S, et al. Acute hyperinsulinemia and very-low-density and low-density lipoprotein subfractions in obese subjects. *Am J Clin Nutr* 2000;71:443-9.

Kapitel 6: Gesund und schlank mit der LOGI-Methode

1. Ludwig DS. Dietary glycemic index and obesity. *J Nutr* 2000;130:280S-283S.
2. Ludwig DS. Glycemic load comes of age. *J Nutr* 2003;133:2695-6.
3. Sharman MJ, et al. A ketogenic diet favorably affects serum biomarkers for cardiovascular disease in normal-weight men. *J Nutr* 2002;132:1879-85.
4. Samaha FF, et al. A low-carbohydrate as compared with a low-fat diet in severe obesity. *N Engl J Med* 2003;348:2074-81.
5. Volek JS, et al. Body composition and hormonal responses to a carbohydrate-restricted diet. *Metabolism* 2002;51:864-70.
6. Brehm BJ, et al. A randomized trial comparing a very low carbohydrate diet and a calorie-restricted low fat diet on body weight and cardiovascular risk factors in healthy women. *J Clin Endocrinol Metab* 2003;88:1617-23.

7. Volek JS, et al. An Isoenergetic Very Low Carbohydrate Diet Improves Serum HDL Cholesterol and Triacylglycerol Concentrations, the Total Cholesterol to HDL Cholesterol Ratio and Postprandial Lipemic Responses Compared with a Low Fat Diet in Normal Weight, Normolipidemic Women. *J Nutr* 2003;133:2756-61.

Kapitel 7: Die 4 Prinzipien der LOGI-Methode

1. United States Department of Agriculture, Agricultural Research Service. 1997. Data tables: Results from USDA's 1994-96 Continuing Survey of Food Intakes by Individuals and 1994-96 Diet and Health Knowledge Survey, [Online]. ARS Food Surveys Research Group. Available (under "Releases").

2. Cordain L. Origins and Evolution of the Western Diet: Health Implications for the 21st Century. 2003; im Druck

3. Rolls BJ. The role of energy density in the overconsumption of fat. *J Nutr* 2000;130:268S-271S.

4. Kopp W. High-insulinogenic nutrition--an etiologic factor for obesity and the metabolic syndrome? *Metabolism* 2003;52:840-4.

5. Morris KL, et al. Effects of dietary carbohydrate on the development of obesity in heterozygous Zucker rats. *J Nutr Biochem* 2003;14:32-39.

6. Layman DK. Role of leucine in protein metabolism during exercise and recovery. *Can J Appl Physiol* 2002;27:646-63.

7. Dumesnil JG, et al. Effect of a low-glycaemic index-low-fat-high protein diet on the atherogenic metabolic risk profile of abdominally obese men. *Br J Nutr* 2001;86:557-568.

8. Johnston CS, et al. Postprandial thermogenesis is increased 100% on a high-protein, low-fat diet versus a high-carbohydrate, low-fat diet in healthy, young women. *J Am Coll Nutr* 2002;21:55-61.

9. Price PT, et al. Omega-3 polyunsaturated fatty acid regulation of gene expression. *Curr Opin Lipidol* 2000;11:3-7.

10. Piers LS, et al. Substitution of saturated with monounsaturated fat in a 4-week diet affects body weight and composition of overweight and obese men. *Br J Nutr* 2003;90:717-28.

11. Parikh SJ, et al. Calcium intake and adiposity. *Am J Clin Nutr* 2003;77:281-7.

12. Zemel MB. Mechanisms of dairy modulation of adiposity. *J Nutr* 2003;133:252S-6S.

13. Yoshioka M, et al. Effects of red pepper added to high-fat and high-carbohydrate meals on energy metabolism and substrate utilization in Japanese women. *Br J Nutr* 1998;80:503-10.

14. Yoshioka M, et al. Effects of red pepper on appetite and energy intake. *Br J Nutr* 1999;82:115-23.

15. Yoshioka M, et al. Combined effects of red pepper and caffeine consumption on 24 h energy balance in subjects given free access to foods. *Br J Nutr* 2001;85:203-11.

16. Perkins KA, et al. Acute thermogenic effects of nicotine combined with caffeine during light physical activity in male and female smokers. *Am J Clin Nutr* 1994;60:312-9.

Kapitel 8: Erfolgreich abnehmen – es klappt

1. Layman DK. The Role of Leucine in Weight Loss Diets and Glucose Homeostasis. *J Nutr* 2003;133:261S-267S.

2. Layman DK, et al. A Reduced Ratio of Dietary Carbohydrate to Protein Improves Body Composition and Blood Lipid Profiles during Weight Loss in Adult Women. *J Nutr* 2003;133:411-7.

3. Miller WC. How effective are traditional dietary and exercise interventions for weight loss? *Med Sci Sports Exerc* 1999;31:1129-34.

4. Korner J, et al. The emerging science of body weight regulation and its impact on obesity treatment. *J Clin Invest* 2003;111:565-70.

5. Willett WC. Dietary fat plays a major role in obesity: no. *Obes Rev* 2002;3:59-68.

6. Worm N. Macht Fett fett und fettarm schlank? *DMW* 2002;127:2743-2747.

7. Worm N. Diätlos glücklich. Abnehmen macht dick und krank. Genießen ist gesund. Lünen: Systemed Verlag, 2002.

8. Lemieux I, et al. Hypertriglyceridemic waist: A marker of the atherogenic metabolic triad (Hyperinsulinemia; hyperapolipoprotein B; small, dense LDL) in Men? *Circulation* 2000;102:179-84.

9. Kriketos AD, et al. Central fat predicts deterioration of insulin secretion index and fasting glycaemia: 6-year follow-up of subjects at varying risk of Type 2 diabetes mellitus. *Diabet Med* 2003;20:294-300.

10. Ostman EM, et al. Inconsistency between glycemic and insulinemic responses to regular and fermented milk products. *Am J Clin Nutr* 2001;74:96-100.

11. Zemel MB. Mechanisms of dairy modulation of adiposity. *J Nutr* 2003;133:252S-6S.

Kapitel 9: Sich regen bringt Segen

1. Bassuk SS, et al. Physical activity and the prevention of cardiovascular disease. *Curr Atheroscler Rep* 2003;5:299-307.

2. Wannamethee SG, et al. Physical activity in the prevention of cardiovascular disease: an epidemiological perspective. *Sports Med* 2001;31:101-14.
3. Lee CD, et al. Cardiorespiratory fitness, body composition, and all-cause and cardiovascular disease mortality in men. *Am J Clin Nutr* 1999;69:373-80.
4. Wei M, et al. Low cardiorespiratory fitness and physical inactivity as predictors of mortality in men with type 2 diabetes. *Ann Intern Med* 2000;132:605-11.
5. Schoeller DA, et al. How much physical activity is needed to minimize weight gain in previously obese women? *American Journal of Clinical Nutrition* 1997;66:551-556.

Kapitel 10: Praxistipps - LOGI im täglichen Leben

1. Fam AG. Gout, diet, and the insulin resistance syndrome. *J Rheumatol* 2002;29:1350-5.
 2. Bovet P, et al. Commentary: alcohol, coronary heart disease and public health: which evidence-based policy. *Int J Epidemiol* 2001;30:734-7.
 3. Ellison RC. Balancing the risks and benefits of moderate drinking. *Ann N Y Acad Sci* 2002;957:1-6.
 4. Vogel RA. Alcohol, heart disease, and mortality: a review. *Rev Cardiovasc Med* 2002;3:7-13.
1. Krauss RM, Blanche PJ, Rawlings RS, Fernstrom HS, Williams PT. Separate effects of reduced carbohydrate intake and weight loss on atherogenic dyslipidemia. *Am J Clin Nutr* 2006;83:1025-31; quiz 1205.
 2. Samaha FF, Foster GD, Makris AP. Low-carbohydrate diets, obesity, and metabolic risk factors for cardiovascular disease. *Curr Atheroscler Rep* 2007;9:441-7.
 3. Volek JS, Fernandez ML, Feinman RD, Phinney SD. Dietary carbohydrate restriction induces a unique metabolic state positively affecting atherogenic dyslipidemia, fatty acid partitioning, and metabolic syndrome. *Progress in Lipid Research* 2008; 47:307–318.
 4. Dyson PA. A review of low and reduced carbohydrate diets and weight loss in type 2 diabetes. *J Hum Nutr Diet* 2008;21:530-8.
 5. Volek JS, Phinney SD, Forsythe CE, et al. Carbohydrate restriction has a more favorable impact on the metabolic syndrome than a low fat diet. *Lipids* 2009;44:297-309.
 6. Feinman RD, Volek JS. Carbohydrate restriction as the default treatment for type 2 diabetes and metabolic syndrome. *Scand Cardiovasc J* 2008:1-8.
 7. Hession M, Rolland C, Kulkarni U, Wise A, Broom J. Systematic review of randomized controlled trials of low-carbohydrate vs. low-fat/low-calorie diets in the management of obesity and its comorbidities. *Obes Rev* 2009;10:36-50.

8. Cao Y, Mauger DT, Pelkman CL, Zhao G, Townsend SM, Kris-Etherton PM. Effects of moderate (MF) versus lower fat (LF) diets on lipids and lipoproteins: a meta-analysis of clinical trials in subjects with and without diabetes. *Journal of Clinical Lipidology* 2009;3:19-32.
9. Kodama S, Saito K, Tanaka S, et al. Influence of fat and carbohydrate proportions on the metabolic profile in patients with type 2 diabetes: a meta-analysis. *Diabetes Care* 2009;32:959-65.